



Report Number:	23-014899/D005.R000
Report Date:	12/29/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	12/21/23 10:05

Customer:	Entourage Organics Inc
Product identity:	Coast D8 10ct- Berry
Project Number:	EOVP-1223D8
Client/Metrc ID:	
Laboratory ID:	23-014899-0010

Summary

	Result (%)			0.000/
∆8-THC	4.30		CBD-Total	2.88%
CBD-A	3.08	8-THC		
CBG-A	2.41	CBD-A	THC-Total	0.119%
CBG	0.567	• CBG-A		
CBD	0.178	CBG	(Reported in pe	rcent of total sample)
THC-A	0.136			
CBN	0.0512	 CBN 		
THC-A	0.136	CBDTHC-ACBN	(

 Www.columbialaboratories.com
 Page 1 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number:	23-014899/D005.R000
Report Date:	12/29/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	12/21/23 10:05

Customer:	Entourage Organics Inc United States of America (USA)
Product identity:	Coast D8 10ct- Berry
Project Number:	EOVP-1223D8
Client/Metrc ID:	
Sample Date:	
Laboratory ID:	23-014899-0010
Evidence of Cooling:	No
Temp:	15.3
Relinquished by:	client

Sample Results

Potency	Method: J AOAC 2015	V98-6 (mod) ^þ Units %	Batch: 2313884	Analyze: 12/27/23 6:41:00 PM
Analyte	As Dry Received weight	LOQ	Notes		
CBD	0.178	0.0297			• 8-THC
CBD-A	3.08	0.0297			• CBD-A
CBD-Total	2.88	0.0557			• CBG-A
CBG	0.567	0.0297			• CBG
CBG-A	2.41	0.0297			• CBD
CBG-Total	2.68	0.0554			• THC-A
CBN	0.0512	0.0297			• CBN
$\Delta 10$ -THC-9R	< LOQ	0.0297			
$\Delta 10$ -THC-9S	< LOQ	0.0297			
$\Delta 10$ -THC-Total	< LOQ	0.0593			
$\Delta 8$ -THC	4.30	0.0297			
∆9-THC	< LOQ	0.0297			
THC-A	0.136	0.0297			
THC-Total	0.119	0.0557			
Total Cannabinoids	10.7				

 Www.columbialaboratories.com
 Page 2 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





 Report Number:
 23-014899/D005.R000

 Report Date:
 12/29/2023

 ORELAP#:
 OR100028

 Purchase Order:
 22/21/23 10:05

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

^b = ISO/IEC 17025:2017 accredited method.

Units of Measure % = Percentage of sample

% wt = μ g/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 3 of 7

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





23-014899/D005.R000
12/29/2023
OR100028
12/21/23 10:05

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

LAGAC 2015 V00	c		Lai	Juaron	y Quality Co				
J AOAC 2015 V98-6 Batch ID: 2313884 Laboratory Control Sample									
aboratory Contro Analyte	LCS	Result	Spike	Units		13	nits	Evaluation	Notes
BDVA	2		0.0299	W W	% Rec			Acceptable	Notes
BDVA	2	0.0306	0.0299	70 %	102	80.0	- 120	Acceptable	
BE		0.0300	0.0292	%	103	80.0	- 120	Acceptable	
	2	0.0324			102	80.0	- 120		
BDA	1	0.0295	0.0288	%	103	90.0	- 110	Acceptable	
BGA	1	0.0291	0.0287	%	101	80.0	- 120	Acceptable	
CBG	1	0.0287	0.0281	%	102	80.0	- 120	Acceptable	
BD	1	0.0307	0.0300	%	102	90.0	- 110	Acceptable	
HCV	2	0.0326	0.0320	%	102	80.0	- 120	Acceptable	
I8THCV	2	0.0287	0.0280	%	103	80.0	- 120	Acceptable	
HCVA	2	0.0295	0.0291	%	101	80.0	- 120	Acceptable	
CBN	1	0.0315	0.0300	%	105	80.0	- 120	Acceptable	
xo-THC	2	0.0300	0.0285	%	105	80.0	- 120	Acceptable	
9THC	1	0.0329	0.0306	%	107	90.0	- 110	Acceptable	
I8THC	1	0.0318	0.0306	%	104	90.0	- 110	Acceptable	
S-d10THC	1	0.0309	0.0296	%	104	80.0	- 120	Acceptable	
BL	2	0.0305	0.0297	%	103	80.0	- 120	Acceptable	
IS-HHC	3	0.0273	0.0266	%	103	80.0	- 120	Acceptable	
R-d10THC	1	0.0299	0.0289	%	103	80.0	- 120	Acceptable	
CBC	2	0.0303	0.0298	%	102	80.0	- 120	Acceptable	
R-HHC	3	0.0844	0.0802	%	105	80.0	- 120	Acceptable	
HCA	1	0.0298	0.0293	%	102	90.0	- 110	Acceptable	
BCA	2	0.0308	0.0304	%	101	80.0	- 120	Acceptable	
BLA	2	0.0317	0.0312	%	102	80.0	- 120	Acceptable	
9THCP	2	0.0303	0.0298	%	102	80.0	- 120	Acceptable	
8THCO	3	0.0317	0.0304	%	104	80.0	- 120	Acceptable	
BT	2	0.0311	0.0310	%	100	80.0	- 120	Acceptable	
9THCO	3	0.0315	0.0299	%	105	80.0	- 120	Acceptable	
Method Blank		0.0515			105	00.0	120		
Analyte	Re	esult	LOQ		Units	Li	nits	Evaluation	Notes
BDVA	<	LOQ	0.00300	1	%	< 0.	00300	Acceptable	
CBDV	<	LOQ	0.00300		%	< 0.	00300	Acceptable	
BE		LOQ	0.00300		%		00300	Acceptable	
CBDA		100	0.00300		%		00300	Acceptable	
BGA		LOQ	0.00300		%		00300	Acceptable	
BG		LOQ	0.00300		%		00300	Acceptable	
BD		LOQ	0.00300		%		00300	Acceptable	
HCV		100	0.00300		%		00300	Acceptable	
ISTHCV		LOQ	0.00300	+	%		00300	Acceptable	
HCVA		LOQ	0.00300	+	%		00300	Acceptable	
BN		100	0.00300		%		00300	Acceptable	
xo-THC		100	0.00300	<u> </u>	%		00300	Acceptable	
9THC		100	0.00300	 	%		00300	Acceptable	
8THC		LOQ	0.00300	 	%		00300		
				<u> </u>	%			Acceptable	
		LOQ	0.00300	<u> </u>			00300	Acceptable	
		LOQ	0.00300		%		00300	Acceptable	
BL		100		%			00300	Acceptable	
BL S-HHC	<	LOQ			%			Acceptable	
BL S-HHC R-d10THC	<	LOQ	0.00300				00300		
BL S-HHC R-d10THC BC	<	LOQ	0.00300		%	< 0.	00300	Acceptable	
BL S-HHC R-d10THC BC R-HHC	< < < <	LOQ LOQ LOQ	0.00300 0.00300 0.00300		%	< 0. < 0.	00300 00300	Acceptable	
BL S-HHC R-d10THC BC R-HHC HCA		LOQ LOQ LOQ LOQ	0.00300 0.00300 0.00300 0.00300		% % %	< 0. < 0. < 0.	00300 00300 00300	Acceptable Acceptable	
BL S-HHC R-d10THC BC R-HHC HCA BCA			0.00300 0.00300 0.00300 0.00300 0.00300		% % %	< 0. < 0. < 0. < 0.	00300 00300 00300 00300	Acceptable Acceptable Acceptable	
BL S-HHC R-d10THC BC R-HHC HCA BCA BLA		LOQ LOQ LOQ LOQ LOQ LOQ	0.00300 0.00300 0.00300 0.00300 0.00300 0.00300		% % % %	< 0. < 0. < 0. < 0. < 0.	00300 00300 00300 00300 00300	Acceptable Acceptable Acceptable Acceptable	
BL S-HHC R-d10THC BC R-HHC HCA BCA BLA 9THCP		LOQ LOQ LOQ LOQ LOQ LOQ LOQ	0.00300 0.00300 0.00300 0.00300 0.00300 0.00300 0.00300		% % % %	< 0. < 0. < 0. < 0. < 0. < 0. < 0.	00300 00300 00300 00300 00300 00300 00300	Acceptable Acceptable Acceptable Acceptable Acceptable	
BL S-HHC R-d10THC BC R-HHC HCA BCA BLA 9THCP 8THCO		LOQ LOQ LOQ LOQ LOQ LOQ LOQ LOQ	0.00300 0.00300 0.00300 0.00300 0.00300 0.00300		% % % % %	< 0. < 0. < 0. < 0. < 0. < 0. < 0. < 0.	00300 00300 00300 00300 00300 00300 00300 00300	Acceptable Acceptable Acceptable Acceptable	
IS-d10THC IBL IS-HHC IR-d10THC IBC IR-HHC IBCA IBLA ISTHCP ISTHCO IBT ISTHCO IST		LOQ LOQ LOQ LOQ LOQ LOQ LOQ	0.00300 0.00300 0.00300 0.00300 0.00300 0.00300 0.00300		% % % %	< 0. < 0. < 0. < 0. < 0. < 0. < 0. < 0.	00300 00300 00300 00300 00300 00300 00300	Acceptable Acceptable Acceptable Acceptable Acceptable	

ND - None Detected at or above MRL

RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent

 Www.columbialaboratories.com
 Page 4 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number:	23-014899/D005.R000
Report Date:	12/29/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	12/21/23 10:05

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			La	boratory	Quality Cont	rol Results		
J AOAC 2015 V98-6					Bat	ch ID: 2313884		
Sample Duplicate	Sample ID: 23-014642-0001-01							
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	0.0493	0.0500	0.0295	%	1.29	< 20	Acceptable	
CBDV	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
CBE	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
CBDA	14.4	14.9	0.0295	%	3.45	< 20	Acceptable	
CBGA	1.03	1.04	0.0295	%	1.19	< 20	Acceptable	
CBG	0.142	0.142	0.0295	%	0.384	< 20	Acceptable	
CBD	0.576	0.581	0.0295	%	0.839	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
CBN	0.0478	0.0480	0.0295	%	0.434	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
d9THC	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
d8THC	14.3	14.7	0.0295	%	3.00	< 20	Acceptable	
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
9S-HHC	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
CBC	0.0786	0.0786	0.0295	%	0.00696	< 20	Acceptable	
9R-HHC	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
THCA	0.582	0.589	0.0295	%	1.26	< 20	Acceptable	
CBCA	0.762	0.799	0.0295	%	4.72	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
d9THCP	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
d8THCO	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
CBT	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
d9THCO	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent

 Www.columbialaboratories.com
 Page 5 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number: 23-014899/D005.R000 **Report Date:** 12/29/2023 **ORELAP#:** OR100028 **Purchase Order: Received:** 12/21/23 10:05



 Www.columbialaboratories.com
 Page 6 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





23-014899/D005.R000 **Report Number: Report Date:** 12/29/2023 **ORELAP#:** OR100028 **Purchase Order:** 12/21/23 10:05 **Received:**

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 www.columbialaboratories.com
 Page 7 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430