

Chief Stix 1gm THCP Preroll Sour Tangie

Sample ID: HR20240990583
Strain: Sour Tangie
Matrix: Plant
Type: Preroll
Sample Size: ; Batch:

Produced:
Collected: 09/17/2024
Received: 09/17/2024
Completed: 10/28/2024
Batch#: CS-TPST-2067

Client
H H Harvest CO
Lic. #
249 E Barnett Rd, Suite 110
Medford, OR 97501




Summary

Test	Date Tested	Result
Batch		Complete
Cannabinoids	09/18/2024	Complete
Moisture	09/18/2024	11.37%

Cannabinoids

Complete



Analyte	LOD mg/g	LOQ mg/g	Mass %	Mass mg/g	Mass mg/unit	Mass mg/serving
THCa	0.20000	0.61000	ND	ND	ND	ND
Δ9-THC	0.15000	0.45000	0.29	2.91	2.91	2.91
Δ8-THC	0.14000	0.42000	9.69	96.93	96.93	96.93
THCV	0.15000	0.44000	ND	ND	ND	ND
CBDa	0.10000	0.31000	5.62	56.23	56.23	56.23
CBD	0.15000	0.45000	2.89	28.94	28.94	28.94
CBN	0.16000	0.50000	ND	ND	ND	ND
CBGa	0.29000	0.88000	5.22	52.16	52.16	52.16
CBG	0.13000	0.39000	0.92	9.22	9.22	9.22
CBC	0.14000	0.42000	ND	ND	ND	ND
THCp			0.10	1.03	1.03	1.03
HHC			6.33	63.30	63.30	63.30
Total THC			0.29	2.91	2.91	2.91
Total CBD			7.83	78.25	78.25	78.25
Total			29.74	297.39	297.39	297.39

1 Unit = g, 1g, 1 unit(s) per serving.
Determination of Cannabinoids by HPLC, HL223
Total THC = Δ9-THCa * 0.877 + Δ9-THC
Total CBD = CBDa * 0.877 + CBD

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory, HL105.10-01. Cannabinoid Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15724. Water activity testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15717.



Ming Li

Ming Li - General Manager
10/28/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.